VITALIS *one*

ISECO

VITALIS *one*

The “All in One” solution for healthy and tasty meals

VITALIS one is a new meal distribution trolley in the VITALIS product range and the latest development in hot and cold food service.

The trolley can be washed using a high pressure cleaner (max. 8 bars) and the Single and Carbofresh™ models can even be put through a washing tunnel to ensure maximum hygiene.

With the unique thermocontact technology inside, the VITALIS one is more compact, simple to use and very economical.
Your meals will be heated gently, using only the necessary power. Heat from the thermocontact shelves keeps the food at the right temperature until the end of service, even if the doors are open! The food stays hot without loss of quality, giving your staff the pleasure of presenting excellent meals to patients.

ISECO, to enjoy nice and healthy food.

Therefore, the preservation of food quality as well as the pleasure and safety of your customers will always remain at the heart of our concerns.

Compact and with better mobility

Compact

The VITALIS one is built on a new chassis with reduced dimensions (950 x 750 mm) and weight, this means:

- **a smaller footprint makes storage and transport easier** in trucks, lifts, offices and hospital rooms
- **the trolley is easier to use,** especially where space is limited.

Better mobility

Thanks to its reduced dimensions and its 6 large wheels (200 mm diameter) as standard, less effort is required to turn and move the VITALIS one around.

Lighter materials and 4 heavy-duty handles ensure improved manoeuvrability.

The new thermocontact heating shelves are only 11 mm thick, leading to reduced trolley height and better mobility.

Manoeuvrability = 4 handles

Efficient, flexible

and easy to use

VITALIS one can be fitted with a pre-heating system for hot line use or with additional refrigeration in the heated section for cold line operation.

The flat and practical ISECO tray allows complete meals (hot dishes as well as salads and desserts) to be transported in the same trolley: this presents a greater choice and better quality to your staff and patients. The ends of the ISECO thermocontact shelves are insulated, enabling staff to handle trays without risk of injury.



Thermocontact shelves

Control panel

Tray

Economical

Energy saving

Because we constantly think about the impact of our products on the environment, we have reduced power consumption on VITALIS one without loss of performance.

The 220 watt thermocontact heating shelf ensures gentle heating while only using a minimum of energy.
The heating shelves have an automatic sensor and are only switched on when a hot dish is on the tray, thereby also reducing energy use.

Therefore daily power consumption is directly related to the occupation rate of hospital beds.

The trolley can be supplied with or without integral refrigeration system or with the Carbofresh™ system using recycled CO_2.
VITALIS one offers a cost-effective solution for every type of installation and organisation.

When buying it

VITALIS one offers you the best value for money!
Contact us!

VITALIS *one*

The range

- **5 capacity levels**
  16, 20, 24, 28 and 30 Gastronorm 1/1 trays
- **2 shelf pitches**
  - Space-saving 80 mm
  - For more tray space 95 mm
- **3 refrigeration systems**
  - Integral refrigeration system: Fresh
  - Separate refrigeration docking station: Stand Fresh
  - Carbofresh™ with CO_2 cassette: Carbo
- **Options and accessories**
  - Centralised braking system
  - Lockable with key or triangle fitting
  - Mechanical tow-bar
  - Motorisation
  - ISECOM (for HACCP documentation)

  For other options consult ISECO.
- **3 packs**
  - Cold line / Frozen line with tray detection
  - Cold line with tray detection and double refrigeration
  - Hot line with pre-heating

VITALIS one 20 Fresh 80

STAND Fresh

Technical specification

Number of levels	Pitch (mm)	Dimensions (mm) Lenght/Width/Height	Power consumption 230/400V at kW Fresh		Single/Carbo	
			Pack 1 & 2	Pack 3	Pack 1 & 2	Pack 3
TROLLEY						
16	80 95	L 950 / W 750 / H 1160 L 950 / W 750 / H 1255	4,5	2,7	3,5	1,8
20	80 95	L 950 / W 750 / H 1255 L 950 / W 750 / H 1415	5,3	3,1	4,4	2,2
24	80 95	L 950 / W 750 / H 1415 L 950 / W 750 / H 1595	6,2	3,6	5,3	2,7
28	80	L 950 / W 750 / H 1595	7,1	4,0	6,2	3,1
30	80	L 950 / W 750 / H 1655	7,5	4,2	6,7	3,4
STAND Fresh		L 860 / W 415 / H 975	1,3			

ISECO International Minervum 7137
4817 ZN BREDA The Netherlands
Tel. +31 76 572 36 11 • Fax +31 76 572 36 01

Internet site: www.iseco.eu • E-mail: info@iseco.eu
Produced in EU, ISECO SAS - SAINT-PHAL, FRANCE

SAMARKAND 74450646GB - 02/12 - SIRET 488 714 460 000 26 - Photos : ISECO • Papier en partie recyclé FSC - avec encres végétales